




SCHEDA TECNICA

BAND	Info
Domenico A.	Lead Vox
Domenico D.	Electric Guitars
Beatrice	Drums
Mimmo	Keyboard - Electric and Acoustic Guitars
Francesco	Bass Guitar

OUTPUT SETUP	Line
AUX 1	<i>Domenico A.</i> - Lead Vox 1 Monitor
AUX 2	<i>Domenico D.</i> - Guitars - 1 Monitor
AUX 3	<i>Beatrice</i> – Drums - 1 Monitor
AUX 4	<i>Francesco</i> - Bass Guitar - 1 Monitor
AUX 5-6	<i>Mimmo</i> – Keyboard and guitars - 1 Stereo In Ear Monitor (in alternativa 1 Monitor)



STAGE PLAN





CHANNEL LIST

#	CH	SORGENTE	MICROFONO	INSERT
1		Bass Drum	AKG D112 / Shure B52	Comp/Gate dbx 266
2		Snare Drum Top	SHURE SM57	Comp/Gate dbx 266
3		Snare Drum Bottom	SHURE SM57	Comp/Gate dbx 266
4		Hi Hat	Akg 451/460/480	
5		Tom	Sennheiser 421/AKG D22	
6		Floor Tom 1	Sennheiser 421/AKG D22	
7		Floor Tom 2	Sennheiser 421/AKG D22	
8		O.H. L.	Akg 451/460/480	
9		O.H. R.	Akg 451/460/480	
10		Bass	D.I. OUT	Comp/Gate dbx 160A
11		Guitar L	D.I. Box	
12		Guitar R	D.I. Box	
13		Keyboard + Guitars L	D.I. Box	
14		Keyboard + Guitars R	D.I. Box	
15		Vox	Shure SM58 / Shure BETA58	Comp dbx 160A
		Reverb Hall L		Yamaha SPX2000
		Reverb Hall L		Yamaha SPX2000
		Tap Delay L		Tc Electronics D-Two
		Tap Delay R		Tc Electronics D-Two



DOTAZIONI DI PALCO ED ESIGENZE TECNICHE

- N° 2 pedane per la batteria e le tastiere di 2 x 2 m. ciascuna
- N° 4-5 Monitors di potenza adeguata e 2 linee aux pre-fader
- Si richiede la presenza di un palco minimo 6x8, a norma con le leggi in vigore, nel rispetto delle condizioni esposte nella legge 626.

**NEL CASO IN CUI LE ESIGENZE TECNICHE NON POSSANO ESSERE SODDISFATTE,
CONTATTARE CON MASSIMA URGENZA:**

Mimmo: +39 328 8412824 – ledzback@gmail.com

FIRMA PER PRESA VISIONE A CONFERMA DI TUTTO CIO' SOPRA ELENCATO

LA DIREZIONE

.....